




GASOLINE





CHANGZHOU CLEANSPEED TOOLS CO.,LTD






127CC 40CM Petrol Lawn Mower - A

GL-23037

	Engine Type:	RATO 125S
	Displacement:	127.1cc
	Rated power:	2.0Kw
	Engine speed:	2800rpm
	Gas tank volume:	1L
	Oil volume:	0.4L
	Noise level (dB):	96db
	Cutting width:	40CM
	Deck Material:	Plastic
	Height Adjustment:	25-45-65mm with 3 position, single
	Wheel:	Front 155mm & rear 155mm
	Grass bag:	all fabric (40L)
	Drive type:	hand push
	Carton Measurement (mm):	660×460×380
	G.W/N.W(Kg):	16.7/14.5
	Pcs. per 20' FCL:	258
	Pcs. per 40' FCL;	528
	Pcs. Per 40' HQ FCL:	616










132CC 41CM Petrol Lawn Mower - B

E01-004A

	Engine Type:	ZONG SHEN NP130
	Displacement:	132cc
	Rated power:	2.2Kw
	Engine speed:	2850rpm
	Gas tank volume:	0.85L
	Oil volume:	0.4L
	Noise level (dB):	96db
	Cutting width:	41CM
	Deck Material:	Plastic
	Height Adjustment:	25-45-65mm with 3 position, single
	Wheel:	Front 155mm & rear 155mm
	Grass bag:	all fabric (40L)
	Drive type:	hand push
	Carton Measurement (mm):	660×460×380
	G.W/N.W(Kg):	16.7/14.5
	Pcs. per 20' FCL:	258
	Pcs. per 40' FCL:	528
	Pcs. Per 40' HQ FCL:	616










127CC 40CM Petrol Lawn Mower - C

GL-23039

	Engine Type:	RATO 125S
	Displacement:	127.1cc
	Rated power:	2.0Kw
	Engine speed:	2800rpm
	Gas tank volume:	1L
	Oil volume:	0.4L
	Noise level (dB):	96db
	Cutting width:	40CM
	Deck Material:	Steel
	Height Adjustment:	25-70mm with 7 position, central
	Wheel:	Front 155mm & rear 200mm
	Grass bag:	all fabric (45L)
	Drive type:	hand push
	Carton Measurement (mm):	670×520×410
	G.W/N.W(Kg):	20.2/17.8
	Pcs. per 20' FCL:	175
	Pcs. per 40' FCL:	375
	Pcs. Per 40' HQ FCL:	450










132CC 40CM Petrol Lawn Mower - D

E01-006A

Engine Type:	ZONG SHEN NP130
Displacement:	132cc
Rated power:	2.2Kw
Engine speed:	2850rpm
Gas tank volume:	0.85L
Oil volume:	0.4L
Noise level (dB):	96db
Cutting width:	40CM
Deck Material:	Steel
Height Adjustment:	25-70mm with 7 position, central
Wheel:	Front 155mm & rear 200mm
Grass bag:	all fabric (45L)
Drive type:	hand push
Carton Measurement (mm):	670×520×410
G.W/N.W(Kg):	20.2/17.8
Pcs. per 20' FCL:	175
Pcs. per 40' FCL:	375
Pcs. Per 40' HQ FCL:	450









127CC 40CM Petrol Lawn Mower - E

GL-23039A

	Engine Type:	RATO 125S
	Displacement:	127.1cc
	Rated power:	2.0Kw
	Engine speed:	2800rpm
	Gas tank volume:	1L
	Oil volume:	0.4L
	Noise level (dB):	96db
	Cutting width:	40CM
	Deck Material:	Steel
	Height Adjustment:	25-70mm with 7 position, central
	Wheel:	Front 155mm & rear 200mm
	Grass bag:	all fabric (45L)
	Drive type:	Self-propelled
	Carton Measurement (mm):	670×520×410
	G.W/N.W(Kg):	21.9/19.5
	Pcs. per 20' FCL:	175
	Pcs. per 40' FCL:	375
	Pcs. Per 40' HQ FCL:	450





Full handle switch lever

Self-propelled lever

Lock knob

45L all fabric grass bag

Central height adjustment





132CC 40CM Petrol Lawn Mower - F

E01-006B

Engine Type:	ZONG SHEN NP130
Displacement:	132cc
Rated power:	2.2Kw
Engine speed:	2850rpm
Gas tank volume:	0.85L
Oil volume:	0.4L
Noise level (dB):	96db
Cutting width:	40CM
Deck Material:	Steel
Height Adjustment:	25-70mm with 7 position, central
Wheel:	Front 155mm & rear 200mm
Grass bag:	all fabric (45L)
Drive type:	Self-propelled
Carton Measurement (mm):	670×520×410
G.W/N.W(Kg):	21.9/19.5
Pcs. per 20' FCL:	175
Pcs. per 40' FCL:	375
Pcs. Per 40' HQ FCL:	450







GL-23043A

Engine Type:	RATO 125S
Displacement:	127.1cc
Rated power:	2.0Kw
Engine speed:	2800rpm
Gas tank volume:	1L
Oil volume:	0.4L
Noise level (dB):	96db
Cutting width:	42CM
Deck Material:	Steel
Height Adjustment:	25-70mm with 7 position, central
Wheel:	Front 178mm & rear 200mm
Grass bag:	plastic top + fabric (50L)
Drive type:	hand push
Carton Measurement (mm):	700×490×440
G.W/N.W(Kg):	21.3/18.6
Pcs. per 20' FCL:	175
Pcs. per 40' FCL:	375
Pcs. Per 40' HQ FCL:	444









E01-005A

	Engine Type:	ZONG SHEN NP130
	Displacement:	132cc
	Rated power:	2.2Kw
	Engine speed:	2850rpm
	Gas tank volume:	0.85L
	Oil volume:	0.4L
	Noise level (dB):	96db
	Cutting width:	42CM
	Deck Material:	Steel
	Height Adjustment:	25-70mm with 7 position, central
	Wheel:	Front 178mm & rear 200mm
	Grass bag:	plastic top + fabric (50L)
	Drive type:	hand push
	Carton Measurement (mm):	700×490×440
	G.W/N.W(Kg):	21.3/18.6
	Pcs. per 20' FCL:	175
	Pcs. per 40' FCL:	375
	Pcs. Per 40' HQ FCL:	444









GL-23043B

Engine Type:	RATO 125S
Displacement:	127.1cc
Rated power:	2.0Kw
Engine speed:	2800rpm
Gas tank volume:	1L
Oil volume:	0.4L
Noise level (dB):	96db
Cutting width:	42CM
Deck Material:	Steel
Height Adjustment:	25-70mm with 7 position, central
Wheel:	Front 178mm & rear 200mm
Grass bag:	plastic top + fabric (50L)
Drive type:	Self-propelled
Carton Measurement (mm):	700×490×440
G.W/N.W(Kg):	23.1/20.4
Pcs. per 20' FCL:	175
Pcs. per 40' FCL:	375
Pcs. Per 40' HQ FCL:	444







E01-005B

Engine Type:	ZONG SHEN NP130
Displacement:	132cc
Rated power:	2.2Kw
Engine speed:	2850rpm
Gas tank volume:	0.85L
Oil volume:	0.4L
Noise level (dB):	96db
Cutting width:	42CM
Deck Material:	Steel
Height Adjustment:	25-70mm with 7 position, central
Wheel:	Front 178mm & rear 200mm
Grass bag:	plastic top + fabric (50L)
Drive type:	Self-propelled
Carton Measurement (mm):	700×490×440
G.W/N.W(Kg):	23.1/20.4
Pcs. per 20' FCL:	175
Pcs. per 40' FCL:	375
Pcs. Per 40' HQ FCL:	444
	Displacement: Rated power: Engine speed: Gas tank volume: Oil volume: Noise level (dB): Cutting width: Deck Material: Height Adjustment: Wheel: Grass bag: Drive type: Carton Measurement (mm): G.W/N.W(Kg): Pcs. per 20' FCL: Pcs. per 40' FCL:







GL-23047A

Engine Type:	RATO 145S
Displacement:	144.3cc
Rated power:	2.5Kw
Engine speed:	2800rpm
Gas tank volume:	1L
Oil volume:	0.4L
Noise level (dB):	96db
Cutting width:	46CM
Deck Material:	Steel
Height Adjustment:	25-70mm with 8 position, central
Wheel:	Front 178mm & rear 250mm
Grass bag:	plastic top + fabric (65L)
Drive type:	hand push
Carton Measurement (mm):	775×560×470
G.W/N.W(Kg):	23.1/20.4
Pcs. per 20' FCL:	175
Pcs. per 40' FCL;	149, 314, 315
Pcs. Per 40' HQ FCL:	444







E01-007A

Engine Type:	ZONG SHEN NP150
Displacement:	149cc
Rated power:	2.5Kw
Engine speed:	2850rpm
Gas tank volume:	0.85L
Oil volume:	0.4L
Noise level (dB):	96db
Cutting width:	46CM
Deck Material:	Steel
Height Adjustment:	25-70mm with 8 position, central
Wheel:	Front 178mm & rear 250mm
Grass bag:	plastic top + fabric (65L)
Drive type:	hand push
Carton Measurement (mm):	775×560×470
G.W/N.W(Kg):	24.5/21.5
Pcs. per 20' FCL:	149
Pcs. per 40' FCL:	314
Pcs. Per 40' HQ FCL:	315









GL-23047B

central
ım







E01-007B

Engine Type:	ZONG SHEN NP150
Displacement:	149cc
Rated power:	2.5Kw
Engine speed:	2850rpm
Gas tank volume:	0.85L
Oil volume:	0.4L
Noise level (dB):	96db
Cutting width:	46CM
Deck Material:	Steel
Height Adjustment:	25-70mm with 8 position, central
Wheel:	Front 178mm & rear 250mm
Grass bag:	plastic top + fabric (65L)
Drive type:	Self-propelled
Carton Measurement (mm):	775×560×470
G.W/N.W(Kg):	26.7/23.7
Pcs. per 20' FCL:	149
Pcs. per 40' FCL:	314
Pcs. Per 40' HQ FCL:	315








GL-23061A

	Engine Type:	RATO 145S
	Displacement:	144.3cc
	Rated power:	2.5Kw
	Engine speed:	2800rpm
	Gas tank volume:	1L
	Oil volume:	0.4L
	Noise level (dB):	98db
	Cutting width:	51CM
	Deck Material:	Steel
	Height Adjustment:	25-70mm with 8 position, central
	Wheel:	Front 178mm & rear 250mm
	Grass bag:	plastic top + fabric (65L)
	Drive type:	hand push
	Carton Measurement (mm):	825×570×470
	G.W/N.W(Kg):	26.4/23
	Pcs. per 20' FCL:	139
	Pcs. per 40' FCL:	279
	Pcs. Per 40' HQ FCL:	280







E01-009A

Engine Type:	ZONG SHEN NP150
Displacement:	149cc
Rated power:	2.5Kw
Engine speed:	2850rpm
Gas tank volume:	0.85L
Oil volume:	0.4L
Noise level (dB):	98db
Cutting width:	51CM
Deck Material:	Steel
Height Adjustment:	25-70mm with 8 position, central
Wheel:	Front 178mm & rear 250mm
Grass bag:	plastic top + fabric (65L)
Drive type:	hand push
Carton Measurement (mm):	825×570×470
G.W/N.W(Kg):	26.4/23
Pcs. per 20' FCL:	139
Pcs. per 40' FCL:	279
Pcs. Per 40' HQ FCL:	280







GL-23061B

Engine Type:	RATO 145S
Displacement:	144.3cc
Rated power:	2.5Kw
Engine speed:	2800rpm
Gas tank volume:	1L
Oil volume:	0.4L
Noise level (dB):	98db
Cutting width:	51CM
Deck Material:	Steel
Height Adjustment:	25-70mm with 8 position, central
Wheel:	Front 178mm & rear 250mm
Grass bag:	plastic top + fabric (65L)
Drive type:	Self-Propelled
Carton Measurement (mm):	825×570×470
G.W/N.W(Kg):	28.8/25.4
Pcs. per 20' FCL:	139
Pcs. per 40' FCL:	279
Pcs. Per 40' HQ FCL:	280









E01-009B

Engine Type:	ZONG SHEN NP150
Displacement:	149cc
Rated power:	2.5Kw
Engine speed:	2850rpm
Gas tank volume:	0.85L
Oil volume:	0.4L
Noise level (dB):	98db
Cutting width:	51CM
Deck Material:	Steel
Height Adjustment:	25-70mm with 8 position, central
Wheel:	Front 178mm & rear 250mm
Grass bag:	plastic top + fabric (65L)
Drive type:	Self-propelled
Carton Measurement (mm):	825×570×470
G.W/N.W(Kg):	28.8/25.4
Pcs. per 20' FCL:	279
Pcs. per 40' FCL:	280
D B 401110 FOL.	









GL-23055B

	Engine Type:	RATO 170S
	Displacement:	170cc
	Rated power:	2.8Kw
	Engine speed:	2800rpm
	Gas tank volume:	1L
	Oil volume:	0.4L
	Noise level (dB):	98db
	Cutting width:	51CM
	Deck Material:	Steel
	Height Adjustment:	25-70mm with 8 position, central
	Wheel:	Front 178mm & rear 250mm
	Grass bag:	plastic top + fabric (65L)
	Drive type:	Self-propelled
	Carton Measurement (mm):	825×570×47
	G.W/N.W(Kg):	28.9/25.5
	Pcs. per 20' FCL:	139
	Pcs. per 40' FCL:	279
	Pcs Per 40' HQ FCI :	280







E01-010B

Engine Type:	ZONG SHEN NP170
Displacement:	171cc
Rated power:	3Kw
Engine speed:	2850rpm
Gas tank volume:	0.85L
Oil volume:	0.4L
Noise level (dB):	98db
Cutting width:	51CM
Deck Material:	Steel
Height Adjustment:	25-70mm with 8 position, central
Wheel:	Front 178mm & rear 250mm
Grass bag:	plastic top + fabric (65L)
Drive type:	Self-propelled
Carton Measurement (mm):	825×570×470
G.W/N.W(Kg):	28.8/25.4
Pcs. per 20' FCL:	139
Pcs. per 40' FCL:	279
Pcs. Per 40' HQ FCL:	280



NEW 🖴

AESTHETIC design





170CC 51CM Electric start Petrol Lawn Mower

GL-23055C

Engine Type:	RATO 170S
Displacement:	170cc
Rated power:	2.8Kw
Engine speed:	2800rpm
Gas tank volume:	1L
Oil volume:	0.4L
Noise level (dB):	98db
Cutting width:	51CM
Deck Material:	Steel
Height Adjustment:	25-70mm with 8 position, central
Wheel:	Front 178mm & rear 250mm
Grass bag:	plastic top + fabric (65L)
Drive type:	Self-propelled
Carton Measurement (mm):	825×570×470
G.W/N.W(Kg):	33.9/30.5
Pcs. per 20' FCL:	139
Pcs. per 40' FCL:	279
Pcs. Per 40' HQ FCL:	280







171CC 51CM Electric start Petrol Lawn Mower

E01-010C

Engine Type:	ZONG SHEN NP170AE
Displacement:	171cc
Rated power:	3Kw
Engine speed:	2850rpm
Gas tank volume:	0.85L
Oil volume:	0.4L
Noise level (dB):	98db
Cutting width:	51CM
Deck Material:	Steel
Height Adjustment:	25-70mm with 8 position, central
Wheel:	Front 178mm & rear 250mm
Grass bag:	plastic top + fabric (65L)
Drive type:	Self-propelled
Carton Measurement (mm):	825×570×470
G.W/N.W(Kg):	33.9/30.5
Pcs. per 20' FCL:	139
Pcs. per 40' FCL:	279
Pcs. Per 40' HQ FCL:	280







224CC 52CM Electric start Petrol Lawn Mower

GL-23062B

Engine Type:	RATO RV225-X
Displacement:	224cc
Rated power:	4.5Kw
Engine speed:	2800rpm
Gas tank volume:	1L
Oil volume:	0.6L
Noise level (dB):	98db
Cutting width:	52CM
Deck Material:	Steel
Height Adjustment:	25-70mm with 8 position, central
Wheel:	Front 178mm & rear 250mm
Grass bag:	plastic top + fabric (65L)
Drive type:	Self-propelled
Carton Measurement (mm):	825×570×470
G.W/N.W(Kg):	35.3/31.9
Pcs. per 20' FCL:	139
Pcs. per 40' FCL:	279
Pcs. Per 40' HQ FCL:	280









224CC 52CM Electric start Petrol Lawn Mower

E01-015C

Engine Type:	ZONG SHEN XP225A
Displacement:	224cc
Rated power:	4.2Kw
Engine speed:	2850rpm
Gas tank volume:	1.4L
Oil volume:	0.6L
Noise level (dB):	98db
Cutting width:	52CM
Deck Material:	Steel
Height Adjustment:	25-70mm with 8 position, central
Wheel:	Front 178mm & rear 250mm
Grass bag:	plastic top + fabric (65L)
Drive type:	Self-propelled
Carton Measurement (mm):	825×570×470
G.W/N.W(Kg):	35.1/31.7
Pcs. per 20' FCL:	139
Pcs. per 40' FCL:	279
Pcs. Per 40' HQ FCL:	280









GARDENING TOOLS

CHANGZHOU CLEANSPEED TOOLS CO.,LTD

Jason



+86 18052508899



wangbo@cleanspeedtools.com